


Product Specification

Product model: **P10G(0.5ml)**

Product type: **Cartridge**

Version	V1	Effective Date	09/27/2019
R&D Dept.	0132	Page	4

1. Dimension (Picture and Description)



Description: All-in-one cartridge.

Appearance: There is no scratches, cracks, stains, uneven colors, unclear logos, and fades on the appearance of this product.

2. Features

- Transpring® Next-Gen Heating Core Technology
- All-In-One Design
- Full Glass Housing
- Food-Grade Stainless Steel
- Compliant with California BCC Heavy Metals Testing
- Recommended Battery: L31

3. Main Technical Parameter

Specifications	
Tank Volume	0.5ml
Resistance	1.2Ω
Aperture Size	Ø 1.6mm
Number of Aperture	4
Dimension	Ø10.5x30.8mm
Weight	5.7g
Heating core material	Nichrome
Oil drawing material	Non-woven fabric
Mouthpiece material	Borosilicate glass
Tank material	Borosilicate glass
Connecting rod	SUS304
Outer thread ring material	SUS304
Working temperature	-10℃~+50℃
Storage Temperature	23℃±5℃

4. How to Use

1) Fill the tank with your favorite oil.

Gently put the syringe between the airway and the outer wall of the cartridge and fill the cartridge with oil at a proper speed.



Notes:

- ▲ *Do not inject the oil into the airway!*
- ▲ *Do not top off the tank with oil.*

2) Press the thread into tank with a special jig within 2 minutes.

We highly recommend to use capping machine to press the outer thread.

5. Notes

- ▲ Pay attention to the shelf life of filled oil.
- ▲ Handle the glass cartridge with care. Do not crush or throw the cartridge.

6. Storage

- The storage temperature is $23 \pm 5^{\circ}\text{C}$ and the humidity is $50 \pm 10\%$ RH.
- Place in a cool, dark and ventilated place.
- Keep the oil-filled cartridge sealed storage and avoid direct sunlight.
- The storage period should not be too long, so as not to exceed the shelf life of oil.